Enercept Standard Details Table of Contents



Wall Panel Details

<u>Title</u>	Detail Number
Enercept Wall Panel Details	1.00
Wall Panel Section – Plates, Fasteners and Sealant	1.01
Wall Panel Section Over Concrete - Plates, Fasteners, Sealants	1.02
Wall Panel Spline Connection – 2x4 Thermal Post	1.03
Wall Panel Spline Connection – 5-1/2" LVL Thermal Post	1.04
Wall Panel Spline Connection - OSB Spline	1.05
Wall Panel Spline Connection – (1) Ply 2x	
Wall Panel Spline Connection – (2) Ply 2x	
Wall Panel Spline Connection - (3) Ply 2x	
Wall Panel Spline Connection - (4) Ply 2x	
Wall Panel Angled Corner Factor Installed Beveled 2x's Splines in One Panel	
Wall Panel Angled Corner Fastened with Field Installed Screws	
Wall Panel Corner Adjustment - Fly-By Corner Panel	
Wall Panel Corner Adjustment - Flush 2x At End of Fly-By Corner Panel	
Wall Panel Butt Corner	
Wall Panel Tee Intersection	
Wall Panel Top Plate and Cap Plate	
Wall Panel Interior Wall Framing	
Interior Wall Framing with Wall Panel Over Concrete Floor	
Wall Panel Monolithic Concrete Foundation	
Wall Panel Concrete Stem Wall with Dropped Concrete Floor	
Wall Panel Spline Connection - Block Spline Factory Installed	
Wall Panel Spline Connection - Block Spline Field Installed	
wall Farier Spline Connection - block Spline at Splice	1.23
Garage Panel Details	
Title	Detail Number
Enercept Garage Panel Details	
Garage Panel Section Over Concrete - Plates, Fasteners, Sealants	
Garage Panel Spline Detail – (1) Ply 2x	
Garage Panel Corner Adjustment - Fly-By Corner Panel	2.03
Garage Panel Top Plate and Cap Plate	2.04
Basement Panel Details	
<u>Title</u>	<u>Detail Number</u>
Enercept Basement Panel Details	
Basement Panel Section – Plates, Fasteners, Sealants	
Basement Panel Spline Detail – (1) Ply 2x	
Basement Panel Top Plate and Cap Plate	3.03
Basement Panel Corner Adjustment Detail - Fly-By Corner Panel	
Basement Panel Over Footing	3.05
Foundation Panel Details	
Title	Detail Number
Enercept Foundation Panel Details	
Foundation Panel Section – Plates, Fasteners and Sealant	
Foundation Panel Spline Detail – (1) Ply 2x	
Foundation Panel Top Plate and Cap Plate	
	4 .00
Foundation Panel Corner Adjustment - Fly-By Corner Panel	4.04

Page 1 of 3

Foundation Panel Top Chord Bearing Floor Joists	4.07
Roof Panel Spline Connection Details	
Title	Detail Number
Enercept Roof Panel Spline Connection Details	5.00
Roof Panel I-Joist Spline	5.01
Roof Panel Single 2x Spline	
Roof Panel Single LVL Spline	
Roof Panel Double OSB Spline	
Roof Panel Single Top OSB Spline	
Roof Panel Single 2x4 Spline Horizontal	
Roof Panel Spline Connection - Block Spline Factory Installed	
Roof Panel Spline Connection - Block Spline Field Installed	
Roof Panel Spline Connection - Block Spline at Splice	
Roof Panel End Condition Details	
<u>Title</u>	<u>Detail Number</u>
Enercept Roof Panel End Condition Details	
Roof Panel Square Cut, Wall Panel at Eave, Non-Insulated Overhang	
Roof Panel Plumb Cut, Wall Panel at Eave, Non-Insulated Overhang	
Roof Panel Plumb Cut, Wall Panel at Eave, No Overhang	0.03
Roof Panel Square Cut, Wall Panel at Eave, Insulated Overhang	
Roof Panel Square Cut, Wall Panel at Eave with 2x Outrigger Overhang	
Roof Panel Plumb Cut, Wall Panel at Eave with 2x Outrigger Overhang	
Roof Panel Square Cut, Floor System at Eave, Non-Insulated I-joist Overhang	6.08
Roof Panel Plumb Cut, Floor System at Eave, Non-Insulated I-joist Overhang	
Roof Panel Plumb Cut, Floor System at Eave, Insulated Overhang	6.10
Roof Panel Square Cut, Floor System at Eave, Insulated Overhang	
Roof Panel Square Cut, Floor System at Eave with 2x Outrigger Overhang	
Roof Panel Plumb Cut, Floor System at Eave with 2x Outrigger Overhang	
Roof Panel, Steel Ridge Beam	
Roof Panel, Wood Valley Beam	
Roof Panel, Wall Panel at Gable End, Single Top Plate with Insulated Overhang	
Roof Panel, Wall Panel at Gable End, Double Top Plate with Insulated Overhang	
Roof Panel, Wall Panel at Gable End, Single Top Plate with 2x Outrigger Overhang	
Roof Panel, Wall Panel at Gable End, Double Top Plate with 2x Outrigger Overhang	6.20
Roof Panel, Ledger Attached to Wall Panel	
Roof Panel, Ledger Attached to Wood Framing	
Roof Panel, Wood Truss with Single 2x Top Chord	
Roof Panel Electrical Details	
<u>Title</u>	Detail Number
Enercept Roof Panel Electrical Details	7.00
Electrical in Roof Panels	7.01
Roof Panel Electrical Box Cutout	7.02
Floor Panel Details	D.4. !! N
Title Forecast Floor Bonel Details	Detail Number
Enercept Floor Panel Details Floor Panel I-Joist Spline	8.00 8.01
Floor Panel Single 2x Spline	8.02
Floor Panel Single LVL Spline	8.03
Floor Panel to Basement Panel Connection	8.04
Floor Panel to Wall Panel Connection	8.05

Page 2 of 3 4/25/21

Floor Panel to Concrete Foundation Connection Floor Panel Supported by Mid-Span Beam Floor Panel Supported by Mid-Span Wall Floor Panel Cantilevered over SIP Wall Supporting Wall Above Floor Panel Cantilevered over Beam Supporting Wall Above Floor Panel to Ledger Attached to Wall Panel Floor Panel to Ledger Attached to Stick Framing	8.06 8.07 8.08 8.09 8.10 8.11
Non-SIP Floor Connection Details	
<u>Title</u>	Detail Number
Enercept Non-SIP Floor Connection Details	9.00
Bottom Bearing Floor Joists to Basement Panel Ton Chard Bearing Floor Joists to Basement Panel	9.01
Top Chord Bearing Floor Joists to Basement Panel Top Floor System to Basement Panel	9.02 9.03
Top Flange Hanging Floor System to Basement Panel Bottom Bearing Floor Joists to Wall Panel	9.03
Top Chord Bearing Floor Joists to Wall Panel	9.04
Top Flange Hanging Floor System to Wall Panel	
Bottom Bearing Floor Joists to Concrete Foundation	
Top Chord Bearing Floor Joists to Concrete Foundation	
Top Flange Hanging Floor System to Concrete Foundation	
Beam to Column Connection Details	
Title	Detail Number
Enercept Beam to Column Connection Details	
Glulam Ridge Beam to Glulam Column; T-Plate Splice Connection	
Glulam Ridge Beam to Glulam Column; End Connection	
Header Panel Details	.
<u>Title</u>	Detail Number
Enercept Header Panel Details	
Standard Header	
2-Ply 2x Header2-Ply LVL Header	
2-Ply 2x Header, Header Below Plate	
2-Ply LVL Header, Header Below Plate	
2-Ply 2x Header, Header Above Opening	
2-Ply LVL Header, Header Above Opening	
Miscellaneous Details	
Title	Detail Number
Enercept Miscellaneous Details	
Factory Tack-In-Place Lumber Assembly Methods	
Timber Frame Details	5 (") 1
<u>Title</u> Enercept Timber Frame Details	Detail Number
Wall Panel Section, No Top Plate, Fasteners and Sealant	13.00
Wall Panel Section Over Concrete, No Top Plate, Fasteners and Sealant	
Wall Panel Butt Corner with Timbers	
Roof Panel Plumb Cut, Wall Panel at Eave, Insulated Overhang at Timber Frame	
Roof Panel Square Cut, Wall Panel at Eave, Insulated Overhang at Timber Frame	
Roof Panel, Wall Panel at Gable End, Insulated Overhang at Timber Frame	
Roof Panel, Truss, or Timber Ridge	
Roof Panel Plumb Cut, Angled Wall Panel at Eave, Insulated Overhang	13.08
Roof Panel Square Cut, Angled Wall Panel at Eave, Insulated Overhang	


Page 3 of 3 4/25/21


THIS PAGE INTENTIONALLY LEFT BLANK ENERCEPT WALL PANEL DETAILS TO FOLLOW


NO SCALE

ENERCEPT WALL PANEL DETAILS

ENERGEPT		REV.
		А
DRAWING NO.	DATE	
1.00	4-8-21	








- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

WALL PANEL SPLINE CONNECTION
2X4 THERMAL POST


		REV.
ENEXGEPT		Α
DRAWING NO.	DATE	
1.03	4-8-21	



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

WALL PANEL SPLINE CONNECTION
5-1/2" LVL THERMAL POST


ENERGEPT		REV.
DRAWING NO.	DATE	
1.04	4-8-2 ⁻	1



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

WALL PANEL SPLINE CONNECTION
OSB SPLINE


		REV.
<u>anakga</u> pu		А
DRAWING NO.	DATE	
1.05	4-8-21	



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

WALL PANEL SPLINE CONNECTION	1
(1) PLY 2X	


ENERGEPT		A REV.
DRAWING NO.	DATE	
1.06	4-8-21	



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

WALL PANEL SPLINE CONNECTION	1
(2) PLY 2X	


		REV.
		А
DRAWING NO. DATE		
1.07	4-8-21	



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

WALL PANEL SPLINE CONNECTION	
(3) PLY 2X	


		REV.
		Α
DRAWING NO.	DATE	
1.08	1.08 4-8-21	



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

WALL PANEL SPLINE CONNECTION	
(4) PLY 2X	


		REV.
<u>lanakgapu</u>		А
DRAWING NO. DATE		
1.09	4-8-21	



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

WALL PANEL ANGLED CORNER FACTOR INSTALLED
BEVELED 2X'S SPLINES IN ONE PANEL


ENERGEPT		REV.
		Α
RAWING NO.	DATE	
1.10	4-8-21	





- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.


WALL PANEL ANGLED CORNER FASTENED WITH
FIELD INSTALLED SCREWS

ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
1 11	4-8-21	










NO SCALE

WALL PANEL TEE INTERSECTION


ENERGEPT		REV.	
		A	
DRAWING NO. DATE			
1.15	4-8-21		





- OFFSET PLATE SPLICES A MINIMUM OF 4'-0". DO NOT SPLICE PLATES OVER WINDOW OR DOOR OPENINGS.
- NAIL FULLY RECESSED TOP PLATE TO EACH INSULATED POST USING (4) 16d NAILS.
- INSTALL CAP PLATE USING 16d NAILS STAGGERED @ 16" O.C.
- FASTEN FULLY RECESSED TOP PLATE TO INT & EXT SHEATING WITH 8d NAILS @ 6" O.C.
- ALTERNATE PLATE OVERLAP AT CORNERS AS SHOWN ABOVE.


WALL PANEL T	OP PLATE AND	CAP PLATE
--------------	--------------	------------------


ENER	REV.	
DRAWING NO.	DATE	, ,
1.16	4-8-21	












- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

WALL PANEL SPLINE CONNECTION
BLOCK SPLINE FACTORY INSTALLED


ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
1.21	4-8-21	



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

WALL PANEL SPLINE CONNECTION
BLOCK SPLINE FIELD INSTALLED

ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
1.22	4-8-21	



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

WALL PANEL SPLINE CONNECTION
BLOCK SPLINE AT SPLICE


		REV.
ENERGEPT		Α
DRAWING NO.	DATE	
1.23	4-8-21	


THIS PAGE INTENTIONALLY LEFT BLANK ENERCEPT GARAGE PANEL DETAILS TO FOLLOW


NO SCALE

ENERCEPT GARAGE PANEL DETAILS

		REV.
	Α	
DRAWING NO.	DATE	
2.00	4-8-21	









- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

GARAGE PANEL SPLINE DETAIL
(1) PLY 2X

		REV.
		А
DRAWING NO.	DATE	
2.02	4-8-21	





- OFFSET PLATE SPLICES A MINIMUM OF 4'-0". DO NOT SPLICE PLATES OVER WINDOW OR DOOR OPENINGS.
- NAIL FULLY RECESSED TOP PLATE TO EACH 2X4 POST USING (2) 16d NAILS.
- INSTALL CAP PLATE USING 16d NAILS STAGGERED @ 16" O.C.
- FASTEN FULLY RECESSED TOP PLATE TO INT & EXT SHEATING WITH 8d NAILS @ 6" O.C.
- ALTERNATE PLATE OVERLAP AT CORNERS AS SHOWN ABOVE.

GARAGE PANEL	TOP PLATE	AND CAP I	PLATE
---------------------	-----------	-----------	-------


ENERGEPT		REV.	
		A	
DRAWING NO.	DATE		
2.04	4-8-21		


THIS PAGE INTENTIONALLY LEFT BLANK ENERCEPT BASEMENT PANEL DETAILS TO FOLLOW

NO SCALE

ENERCEPT BASEMENT PANEL DETAILS

ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
3.00	4-8-21	






- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

BASEMENT PANEL SPLINE CONNECTION
(1) PLY 2X


		REV.
		А
DRAWING NO.	DATE	
3.02	4-8-21	




- OFFSET PLATE SPLICES A MINIMUM OF 4'. DO NOT SPLICE PLATES OVER WINDOW OR DOOR OPENINGS.
- NAIL FIRST PLATE TO TREATED STUDS USING FOUR 16d STAINLESS STEEL NAILS @ EACH STUD LOCATION.
- INSTALL SECOND PLATE USING 16d NAILS STAGGERED 16" ON CENTER.
- NAIL SHEATHING EDGES @ 6" O.C. USING 8d STAINLESS STEEL ON EXT. AND 8d NAILS ON THE INT.
- ALTERNATE PLATE OVERLAP AT CORNERS AS SHOWN ABOVE.

DACEMENT DANIEL	TOP PLATE AND CAP PLATE
DASCIVICINI PANEL	TOP PLATE AND CAP PLATE

ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
3.03	4-8-21	







THIS PAGE INTENTIONALLY LEFT BLANK ENERCEPT FOUNDATION PANEL DETAILS TO FOLLOW

NO SCALE

ENERCEPT FOUNDATION PANEL DETAILS

ENERGERT		REV.
		LA_
DRAWING NO.	DATE	
4.00 4-8-21		1






- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

FOUNDATION PANEL SPLINE DETAIL	
(1) PLY 2X	

		REV.
ENERGEPT		Α
DRAWING NO.	DATE	
4.02	4-8-21	





- OFFSET PLATE SPLICES A MINIMUM OF 4'.
- NAIL FIRST PLATE TO TREATED STUDS USING THREE 16d STAINLESS STEEL NAILS @ EACH STUD LOCATION.
- INSTALL SECOND PLATE USING 16d NAILS STAGGERED 16" ON CENTER.
- NAIL SHEATHING EDGES @ 6" O.C. USING 8d STAINLESS STEEL NAILS.
- ALTERNATE PLATE OVERLAP AT CORNERS AS SHOWN ABOVE.


NO SCALE


FOUNDATION PANEL TOP PLATE AND CAP PLATE


		REV.
<u>anakga</u> pu		Α
DRAWING NO.	DATE	
4.03	3 4-8-21	












THIS PAGE INTENTIONALLY LEFT BLANK ENERCEPT ROOF PANEL SPLINE CONNECTION DETAILS TO FOLLOW

ENERCEPT ROOF PANEL
SPLINE CONNECTION DETAILS


ENERGEPT		
DRAWING NO.	DATE	
5.00	4-8-21	



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

ROOF F	PANEL
I-JOIST	SPLINE


ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
5.01	4-8-21	



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

ROOF PANEL
SINGLE 2X SPLINE


		REV.
<u>anakga</u> yu		Α
DRAWING NO.	DATE	
5.02	4-8-21	



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

ROOF PANEL
SINGLE LVL SPLINE


ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
5.03	4-8-21	



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

ROOF PANEL
DOUBLE OSB SPLINE


ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
5.04	4-8-2 ⁻	1



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

ROOF PANEL
SINGLE TOP OSB SPLINE


		REV.
<u>anakga</u> pu		А
DRAWING NO.	DATE	
5.05	4-8-21	



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

ROOF PANEL
SINGLE 2X4 SPLINE HORIZONTAL


ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
5.06	4-8-21	



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

ROOF PANEL
TOP OSB SPLINE AT WOOD BEAM


ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
5.07	4-8-2 ⁻	1



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

ROOF PANEL SPLINE CONNECTION
BLOCK SPLINE FACTORY INSTALLED


ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
5.08	4-8-2 ⁻	1



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

ROOF PANEL SPLINE CONNECTION
BLOCK SPLINE FIELD INSTALLED

ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
5.09	4-8-2 ⁻	1



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.


ROOF PANEL SPLINE CONNECTION
BLOCK SPLINE AT SPLICE

สมสถิสสา		REV.
		4
DRAWING NO.	DATE	
5.10	4-8-2 ⁻	1

THIS PAGE INTENTIONALLY LEFT BLANK ENERCEPT ROOF PANEL END CONDITION DETAILS TO FOLLOW

ENERCEPT ROOF PANEL	
END CONDITION DETAILS)


		REV.
ENERGEPT		Α
RAWING NO.	DATE	
6.00	4-8-2 ⁻	1



- * ALL ROOF PANELS 3/12 PITCH OR GREATER, WILL REQUIRE A WOOD BLOCK AND EPS WEDGE. (BLOCK AND WEDGE PROVIDED)
- ** ALL ROOF PANELS LESS THAN A 3/12 PITCH WILL NOT USE WOOD BLOCKS OR EPS WEDGES. (EXTRA CANS OF EXPANDING FOAM WILL BE PROVIDED TO FILL WORD)

ROOF PANEL SQUARE CUT, WALL PANEL AT EAVE,
NON-INSULATED OVERHANG

ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
6.01	4-8-2°	1




- * ALL ROOF PANELS 3/12 PITCH OR GREATER, WILL REQUIRE A WOOD BLOCK AND EPS WEDGE. (BLOCK AND WEDGE PROVIDED)
- ** ALL ROOF PANELS LESS THAN A 3/12 PITCH WILL NOT USE WOOD BLOCKS OR EPS WEDGES. (EXTRA CANS OF EXPANDING FOAM WILL BE PROVIDED TO FILL VOID)

***#14 X 8" FLATHEAD SCREWS TOE-SCREWED THROUGH SUBFASCIA FASTENERS MUST PENETRATE COMPLETELY THROUGH CAP PLATE & 1" MIN. INTO 2X TOP PLATE. 12" O.C. MAX. FASTENER SPACING.

ROOF PANEL PLUMB CUT, WALL PANEL AT EAVE,
NON-INSULATED OVERHANG

		REV.
<u>lanakgap</u> u		А
DRAWING NO.	DATE	
6.02	4-8-2°	1




- * ALL ROOF PANELS 3/12 PITCH OR GREATER, WILL REQUIRE A WOOD BLOCK AND EPS WEDGE. (BLOCK AND WEDGE PROVIDED)
- ** ALL ROOF PANELS LESS THAN A 3/12 PITCH WILL NOT USE WOOD BLOCKS OR EPS WEDGES. (EXTRA CANS OF EXPANDING FOAM WILL BE PROVIDED TO FILL VOID)

 *** #14 X 8" FLATHEAD SCREWS TOE—SCREWED THROUGH SUBFASCIA. FASTENERS MUST PENETRATE COMPLETELY THROUGH CAP PLATE AND 1" MIN. INTO 2X TOP PLATE. 12" O.C. MAX. FASTENER SPACING.

ROOF PANEL PLUMB CUT, WALL PANEL AT EAVE, NO OVERHANG


ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
6.03	4-8-2°	1



- * ALL ROOF PANELS 3/12 PITCH OR GREATER, WILL REQUIRE A WOOD BLOCK AND EPS WEDGE. (BLOCK AND WEDGE PROVIDED)
- ** ALL ROOF PANELS LESS THAN A 3/12 PITCH WILL NOT USE WOOD BLOCKS OR EPS WEDGES. (EXTRA CANS OF EXPANDING FOAM WILL BE PROVIDED TO FILL VOID)
- *** SUBFACIA SUPPLIED IS BASED ON ROOF PANEL THICKNESS AND/OR STRUCTURAL REQUIREMENTS. ENERCEPT MAY SUPPLY DIMENSIONAL 2X LUMBER, RIMBOARD, OR LVL.

ROOF PANEL PLUMB CUT, WALL PANEL AT EAVE, INSULATED OVERHANG

		REV.
		Α
DRAWING NO.	DATE	
6.04	4-8-2 ⁻	1




EPS WEDGES. (EXTRA CANS OF EXPANDING FOAM WILL BE PROVIDED TO FILL VOID)

*** SUBFACIA SUPPLIED IS BASED ON ROOF PANEL THICKNESS AND/OR STRUCTURAL REQUIREMENTS. ENERCEPT MAY SUPPLY DIMENSIONAL 2X LUMBER, RIMBOARD, OR LVL. NO SCALE

ROOF PANEL SQUARE CUT, WALL PANEL AT EAVE, **INSULATED OVERHANG**


ENERGEPT		REV.
DRAWING NO.	DATE	, ,
6.05	4-8-2 ⁻	1



- EPS WEDGE. (BLOCK AND WEDGE PROVIDED)
- ** ALL ROOF PANELS LESS THAN A 3/12 PITCH WILL NOT USE WOOD BLOCKS OR EPS WEDGES. (EXTRA CANS OF EXPANDING FOAM WILL BE PROVIDED TO FILL VOID)

ROOF PANEL SQUARE CUT, WALL PANEL AT EAVE
WITH 2X OUTRIGGER OVERHANG

ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
6.06	4-8-21	




- * ALL ROOF PANELS 3/12 PITCH OR GREATER, WILL REQUIRE A WOOD BLOCK AND EPS WEDGE. (BLOCK AND WEDGE PROVIDED)
- ** ALL ROOF PANELS LESS THAN A 3/12 PITCH WILL NOT USE WOOD BLOCKS OR EPS WEDGES. (EXTRA CANS OF EXPANDING FOAM WILL BE PROVIDED TO FILL VOID)


 *** #14 X 8" FLATHEAD SCREWS TOE—SCREWED THROUGH SUBFASCIA. FASTENERS MUST PENETRATE COMPLETELY THROUGH CAP PLATE & 1" MIN. INTO 2X TOP PLATE.


 12" O.C. MAX. FASTENER SPACING.


ROOF PANEL PLUMB CUT, WALL PANEL AT EAVE WITH 2X OUTRIGGER OVERHANG


ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
6.07	4-8-21	



























• WALL PANELS AT GABLE ENDS DO NOT RECEIVE A CAP PLATE OVER THE FULLY RECESSED TOP PLATES UNLESS NOTED OTHERWISE.

ROOF PANEL, WALL PANEL AT GABLE END,	
SINGLE TOP PLATE WITH INSULATED OVERHANG	j


		REV.
	Gapi	Α
RAWING NO.	DATE	
6.17	4-8-2°	1



• WALL PANELS AT GABLE ENDS DO NOT RECEIVE A CAP PLATE OVER THE FULLY RECESSED TOP PLATES UNLESS NOTED OTHERWISE.

ROOF PANEL, WALL PANEL AT GABLE END,
DOUBLE TOP PLATE WITH INSULATED OVERHANG


		REV.
	Gapu	Α
RAWING NO.	DATE	
6.18	4-8-2 ⁻	1



• WALL PANELS AT GABLE ENDS DO NOT RECEIVE A CAP PLATE OVER THE FULLY RECESSED TOP PLATES UNLESS NOTED OTHERWISE.

ROOF PANEL, WALL PANEL AT GABLE END, SINGLE
TOP PLATE WITH 2X OUTRIGGER OVERHANG


		Α
RAWING NO.	DATE	
6.19	4-8-2°	1



• WALL PANELS AT GABLE ENDS DO NOT RECEIVE A CAP PLATE OVER THE FULLY RECESSED TOP PLATES UNLESS NOTED OTHERWISE.

ROOF PANEL, WALL PANEL AT GABLE END, DOUBLE	
TOP PLATE WITH 2X OUTRIGGER OVERHANG	_

		REV.
		А
RAWING NO.	DATE	
6 20	4-8-21	





** SIP SCREWS DRIVEN THRU WALL PANEL INTO BACK FACE OF LEDGER, SPACED PER STRUCTURAL REQUIREMENTS

NO SCALE

ROOF PANEL, LEDGER ATTACHED TO WALL PANEL


		REV.
	Gapi	Α
DRAWING NO.	DATE	
6.21	4-8-2 ⁻	1





ROOF PANEL, WOOD TRUSS WITH
SINGLE 2X TOP CHORD

		REV.
<u>anakgapu</u>		А
RAWING NO.	DATE	
6.23	4-8-21	



• ROOF PANEL I-JOIST CONNECTOR AND 2X OUTRIGGER RUN L. CUT TO REQUIRED LENGTH AND END PROFILE ON SITE.


		REV.
	GEPT	А
DRAWING NO.	DATE	
6.24	4-8-2°	1

THIS PAGE INTENTIONALLY LEFT BLANK ENERCEPT ROOF PANEL ELECTRICAL DETAILS TO FOLLOW

NO SCALE

ENERCEPT ROOF PANEL ELECTRICAL DETAILS


.,,	00/122	
		REV.
	GEPT	Α
DRAWING NO.	DATE	
7.00	4-8-21	



- ELECTRICAL BOXES IN ROOF PANELS SUPPORTING FAN AND CHANDELIER MUST MEET NEC REQUIREMENTS.
- PRE-DRILL THE ELECTRICAL CHASES IN THE TOP PLATES AND CAP PLATES BEFORE INSTALLING THE ROOF PANELS.
- SPRAY FOAM ELECTRICAL CHASES AT RIDGE AND EAVE AFTER INSTALLING WIRE

ELECTRICAL IN ROOF PANELS

		REV.
	Gapi	Α
DRAWING NO.	DATE	
7.01	4-8-21	



ROOF PANEL ELECTRICAL BOX CUTOUT


		REV.
	Gapi	А
DRAWING NO.	DATE	
7.02	4-8-2 ⁻	1

THIS PAGE INTENTIONALLY LEFT BLANK ENERCEPT FLOOR PANEL DETAILS TO FOLLOW

NO SCALE


ENERCEPT FLOOR PANEL DETAILS

		REV.
	Gapi	Α
DRAWING NO.	DATE	
8.00	4-8-21	




- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

TLOOK PAINEL I-JOIST SPLINE DRAWING NO. DATE 8.01 4-8-21	FLOOR PANEL I-JOIST SPLINE	ener	GEPT	REV.
	FLOOR PAINEL I-JOIST SPLINE			1




- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

FLOOR DANEL SINGLE 2X SPLINE	ENERGEPU		REV.
FLOOR PANEL SINGLE 2X SPLINE	DRAWING NO.	DATE	
	8.02	4-8-2 [′]	1



- A COME-A-LONG OR OTHER MECHANICAL MEANS MAY BE REQUIRED TO PULL PANELS TOGETHER.
- TOPS OF PANELS MUST BE LEVEL & ALIGNED BEFORE NAILING.

FLOOR PANEL SINGLE LVL SPLINE		GEPT R	A
FLOOR PAINEL SINGLE LVL SPLINE	DRAWING NO.	DATE	
	8.03	4-8-21	




- IT IS IMPORTANT THAT THE FLOOR PANEL SETS SQUARE WITH THE INTENDED OUTSIDE BUILDING DIMENSIONS.
- SQUARENESS AND ALIGNMENT OF THE BOTTOM PLATE ARE CRITICAL PARTS OF THE ENERCEPT SYSTEMS.

NO SCALE


FLOOR PANEL TO BASEMENT PANEL CONNECTION

ENER	GEPT	REV.
DRAWING NO.	DATE	
8.04	4-8-2 ⁻	1



- IT IS IMPORTANT THAT THE FLOOR PANEL SETS SQUARE WITH THE INTENDED OUTSIDE BUILDING DIMENSIONS.
- SQUARENESS AND ALIGNMENT OF THE BOTTOM PLATE ARE CRITICAL PARTS OF THE ENERCEPT SYSTEMS.


FLOOR PANEL TO WALL PANEL CONNECTION		GEPT A
FLOOR PAINEL TO WALL PAINEL CONNECTION	DRAWING NO.	DATE 4_8_21





- IT IS IMPORTANT THAT THE FLOOR PANEL SETS SQUARE WITH THE INTENDED OUTSIDE BUILDING DIMENSIONS.
- SQUARENESS AND ALIGNMENT OF THE BOTTOM PLATE ARE CRITICAL PARTS OF THE ENERCEPT SYSTEMS.

FLOOR PANEL TO
CONCRETE FOUNDATION CONNECTION

		REV.
	GEPT	Α
DRAWING NO.	DATE	
8.06 4-8-2		1








FLOOR PANEL CANTILEVERED OVER SIP WALL
SUPPORTING WALL ABOVE


		REV.
	Gapi	Α
DRAWING NO.	DATE	
8.09	4-8-2 ⁻	1



• FLOOR PANEL MUST HAVE STRUCTRUCAL MEMBERS IN THE PANEL, DESIGNED BY A STRUCTURAL ENGINEER, TO SUPPORT THE WALL FROM ABOVE.


FLOOR PANEL CANTILEVERED OVER BEAM
SUPPORTING WALL ABOVE

ENERGEPT		REV.
RAWING NO.	DATE	
8.10	4-8-21	



FLOOR PANEL TO LEDGER
ATTACHED TO WALL PANEL

		REV.
	Gapu	Α
DRAWING NO.	DATE	
8.11	4-8-21	




FLOOR PANEL TO LEDGER
ATTACHED TO STICK FRAMING

		REV.
energept		А
RAWING NO.	DATE	
8.12	4-8-21	

THIS PAGE INTENTIONALLY LEFT BLANK ENERCEPT NON-SIP FLOOR CONNECTION DETAILS TO FOLLOW

ENERCEPT NON-SIP FLOOR
CONNECTION DETAILS


		RE∖
ENER	GEPT	Α
DRAWING NO.	DATE	
9.00 4-8-21		1



- IF ENERCEPT PANELS ARE INSTALLED ABOVE THE FLOOR SYSTEM, REFER TO THE SIP WALL PANEL DETAILS.
- THE BOTTOM PLATE SHALL BE SET IN A DISTANCE EQUIVALENT TO THE EXTERIOR SHEATHING THICKNESS. SQUARENESS AND ALIGNMENT OF THE BOTTOM PLATE ARE CRITICAL PARTS OF THE ENERCEPT SYSTEMS.

BOTTOM BEARING FLOOR JOISTS
TO BASEMENT PANEL


ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
9.01	4-8-21	



- IF ENERCEPT PANELS ARE INSTALLED ABOVE THE FLOOR SYSTEM, REFER TO THE SIP WALL PANEL DETAILS.
- THE BOTTOM PLATE SHALL BE SET IN A DISTANCE EQUIVALENT TO THE EXTERIOR SHEATHING THICKNESS. SQUARENESS AND ALIGNMENT OF THE BOTTOM PLATE ARE CRITICAL PARTS OF THE ENERCEPT SYSTEMS.

TOP CHORD BEARING FLOOR JOISTS
TO BASEMENT PANEL


ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
9.02	4-8-21	



- IF ENERCEPT PANELS ARE INSTALLED ABOVE THE FLOOR SYSTEM, REFER TO THE SIP WALL PANEL DETAILS.
- THE BOTTOM PLATE SHALL BE SET IN A DISTANCE EQUIVALENT TO THE EXTERIOR SHEATHING THICKNESS. SQUARENESS AND ALIGNMENT OF THE BOTTOM PLATE ARE CRITICAL PARTS OF THE ENERCEPT SYSTEMS.

TOP FLANGE HANGING FLOOR SYSTEM
TO BASEMENT PANEL

ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
9.03	4-8-21	




- IF ENERCEPT PANELS ARE INSTALLED ABOVE THE FLOOR SYSTEM, REFER TO THE WALL PANEL DETAILS.
- THE BOTTOM PLATE SHALL BE SET IN A DISTANCE EQUIVALENT TO THE EXTERIOR SHEATHING THICKNESS. SQUARENESS AND ALIGNMENT OF THE BOTTOM PLATE ARE CRITICAL PARTS OF THE ENERCEPT SYSTEMS.

NO SCALE

BOTTOM BEARING FLOOR JOISTS TO WALL PANEL


		REV.
	GEPT	Α
DRAWING NO.	DATE	
9.04	4-8-2 ⁻	1



- IF ENERCEPT PANELS ARE INSTALLED ABOVE THE FLOOR SYSTEM, REFER TO THE WALL PANEL DETAILS.
- THE BOTTOM PLATE SHALL BE SET IN A DISTANCE EQUIVALENT TO THE EXTERIOR SHEATHING THICKNESS. SQUARENESS AND ALIGNMENT OF THE BOTTOM PLATE ARE CRITICAL PARTS OF THE ENERCEPT SYSTEMS.

TOP CHORD BEARING FLOOR JOISTS
TO WALL PANEL


ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
9.05	4-8-21	



- IF ENERCEPT PANELS ARE INSTALLED ABOVE THE FLOOR SYSTEM, REFER TO THE WALL PANEL DETAILS.
- THE BOTTOM PLATE SHALL BE SET IN A DISTANCE EQUIVALENT TO THE EXTERIOR SHEATHING THICKNESS. SQUARENESS AND ALIGNMENT OF THE BOTTOM PLATE ARE CRITICAL PARTS OF THE ENERCEPT SYSTEMS.

TOP FLANGE HANGING FLOOR
SYSTEM TO WALL PANEL


		REV.
		Α
DRAWING NO.	DATE	
9.06	4-8-21	



- IF ENERCEPT PANELS ARE INSTALLED ABOVE THE FLOOR SYSTEM, REFER TO THE WALL PANEL DETAILS.
- THE BOTTOM PLATE SHALL BE SET IN A DISTANCE EQUIVALENT TO THE EXTERIOR SHEATHING THICKNESS. SQUARENESS AND ALIGNMENT OF THE BOTTOM PLATE ARE CRITICAL PARTS OF THE ENERCEPT SYSTEMS.

BOTTOM BEARING FLOOR JOISTS
TO CONCRETE FOUNDATION


ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
9.07	4-8-2°	1



- IF ENERCEPT PANELS ARE INSTALLED ABOVE THE FLOOR SYSTEM, REFER TO THE WALL PANEL DETAILS..
- THE BOTTOM PLATE SHALL BE SET IN A DISTANCE EQUIVALENT TO THE EXTERIOR SHEATHING THICKNESS. SQUARENESS AND ALIGNMENT OF THE BOTTOM PLATE ARE CRITICAL PARTS OF THE ENERCEPT SYSTEMS.

TOP CHORD BEARING FLOOR JOISTS TO
CONCRETE FOUNDATION

ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
9.08	4-8-21	



- IF ENERCEPT PANELS ARE INSTALLED ABOVE THE FLOOR SYSTEM, REFER TO THE WALL PANEL DETAILS.
- THE BOTTOM PLATE SHALL BE SET IN A DISTANCE EQUIVALENT TO THE EXTERIOR SHEATHING THICKNESS. SQUARENESS AND ALIGNMENT OF THE BOTTOM PLATE ARE CRITICAL PARTS OF THE ENERCEPT SYSTEMS.


TOP FLANGE HANGING FLOOR SYSTEM TO
CONCRETE FOUNDATION

		REV.
		Α
DRAWING NO.	DATE	
9.09	4-8-2 ⁻	1

THIS PAGE INTENTIONALLY LEFT BLANK ENERCEPT BEAM TO COLUMN CONNECTION DETAILS TO FOLLOW

ENERCEPT BEAM TO COLUMN
CONNECTION DETAILS


		REV.
ENERGEPT		Α
		<i>,</i> ,
DRAWING NO.	DATE	
10.00	4-8-2 ⁻	1



- DETAIL SHOWN IS FOR CONNECTING GLULAM RIDGE BEAMS TO GLULAM COLUMNS WHERE GLULAM COLUMNS ARE OUTSIDE OF SIP WALL PANELS.
- REFER TO THE ENERCEPT CONSTRUCTION GUIDE FOR CONNECTING RIDGE BEAMS TO COLUMNS WHERE COLUMNS ARE WITHIN THE SIP WALL PANELS.
- THE HARDWARE DETAILS SHOWN ARE GENERIC. ACTUAL DETAILS MAY VARY
 BASED ON THE BEAM SUPPLIER'S DESIGN. REFER TO THE BEAM SUPPLIER'S
 DETAILS WHEN INSTALLING BEAMS, COLUMNS, AND CONNECTION HARDWARE.
 NO SCALE

GLULAM RIDGE BEAM TO GLULAM COLUMN;
T-PLATE SPLICE CONNECTION

		REV.
anar	GEPT	Α
DRAWING NO.	DATE	
10.01	4-8-2 ⁻	1



- DETAIL SHOWN IS FOR CONNECTING GLULAM RIDGE BEAMS TO GLULAM COLUMNS WHERE GLULAM COLUMNS ARE OUTSIDE OF SIP WALL PANELS.
- REFER TO THE ENERCEPT CONSTRUCTION GUIDE FOR CONNECTING RIDGE BEAMS TO COLUMNS WHERE COLUMNS ARE WITHIN THE SIP WALL PANELS.
- THE HARDWARE DETAILS SHOWN ARE GENERIC. ACTUAL DETAILS MAY VARY
 BASED ON THE BEAM SUPPLIER'S DESIGN. REFER TO THE BEAM SUPPLIER'S
 DETAILS WHEN INSTALLING BEAMS, COLUMNS, AND CONNECTION HARDWARE.
 NO SCALE

GLULAM RIDGE BEAM TO GLULAM COLUMN;
END CONNECTION


		REV.
	GEPT	Α
DRAWING NO.	DATE	
10.02	4-8-2 ⁻	1

THIS PAGE INTENTIONALLY LEFT BLANK ENERCEPT HEADER PANEL DETAILS TO FOLLOW

NO SCALE

ENERCEPT HEADER PANEL DETAILS


		REV.
	GEPT	А
DRAWING NO.	DATE	
11.00	4-8-2	1





• DO NOT SPLICE TOP PLATE OR CAP PLATE OVER HEADER PANEL.


CT	11 A	\square	DD	HE.	۷ ا	
ЭI	AIN	DB	ND	ПС	Hυ	ロス


anar	A	
RAWING NO.	DATE	
11.01	4-8-2 ⁻	1















THIS PAGE INTENTIONALLY LEFT BLANK ENERCEPT MISCELLANEOUS PANEL DETAILS TO FOLLOW

NO SCALE

ENERCEPT MISCELLANEOUS DETAILS

| CRAWING NO. | C

AWING NO.	DATE
2.00	4-8-21





THIS PAGE INTENTIONALLY LEFT BLANK ENERCEPT TIMBER FRAME DETAILS TO FOLLOW


NO SCALE

ENERCEPT TIMBER FRAME DETAILS

PATERNARY.		REV.
ENEXGEPT		A
DRAWING NO.	DATE	
13.00	4-8-21	








NO SCALE

WALL PANEL BUTT CORNER WITH TIMBERS


ENERGEPT		REV.
		А
DRAWING NO.	DATE	
13.03	4-8-21	



*** SUBFACIA SUPPLIED IS BASED ON ROOF PANEL THICKNESS AND/OR STRUCTURAL REQUIREMENTS. ENERCEPT MAY SUPPLY DIMENSIONAL 2X LUMBER, RIMBOARD, OR LVL.

ROOF PANEL PLUMB CUT, WALL PANEL AT EAVE, INSULATED OVERHANG AT TIMBER FRAME


ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
13.04	4-8-21	



STRUCTURAL REQUIREMENTS. ENERCEPT MAY SUPPLY DIMENSIONAL 2X LUMBER, RIMBOARD, OR LVL. NO SCALE

ROOF PANEL SQUARE CUT, WALL PANEL AT EAVE, INSULATED OVERHANG AT TIMBER FRAME


ENERGEPT		REV.
		A
DRAWING NO.	DATE	
13.05	4-8-21	




** SPRAY FOAM GAP BETWEEN ROOF AND WALL PANELS

ROOF PANEL, WALL PANEL AT GABLE END,
INSULATED OVERHANG AT TIMBER FRAME

ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
13.06	4-8-21	






*** SUBFACIA SUPPLIED IS BASED ON ROOF PANEL THICKNESS AND/OR STRUCTURAL REQUIREMENTS. ENERCEPT MAY SUPPLY DIMENSIONAL 2X LUMBER, RIMBOARD, OR LVL.

ROOF PANEL PLUMB CUT, ANGLED WALL PANEL AT EAVE, INSULATED OVERHANG

ENERGEPT		REV.
		Α
DRAWING NO.	DATE	
13.08	4-8-21	



- * ALL ROOF PANELS 3/12 PITCH OR GREATER, WILL REQUIRE A WOOD BLOCK AND EPS WEDGE. (BLOCK AND WEDGE PROVIDED)
- ** ALL ROOF PANELS LESS THAN A 3/12 PITCH WILL NOT USE WOOD BLOCKS OR EPS WEDGES. (EXTRA CANS OF EXPANDING FOAM WILL BE PROVIDED TO FILL VOID)
- *** SUBFACIA SUPPLIED IS BASED ON ROOF PANEL THICKNESS AND/OR STRUCTURAL REQUIREMENTS. ENERCEPT MAY SUPPLY DIMENSIONAL 2X LUMBER, RIMBOARD, OR LVL.

ROOF PANEL SQUARE CUT, ANGLED WALL PANEL AT EAVE, INSULATED OVERHANG

ENERGEPT		REV.
DRAWING NO.	DATE	
13.09	4-8-21	